



2014 ICD-9-CM Diagnosis Codes

Related to Speech and Hearing Disorders

Effective October 1, 2013

General Information

This ASHA document provides a listing of the *2014 International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)* codes related to speech and hearing disorders. This document is **not** a comprehensive list and a number of codes are included for information purposes only. Entries with only three or four digits may require coding to a higher degree of specificity than indicated here. However, in general, audiology and speech-language pathology related diagnoses will be listed to their highest level of specificity.

There are no changes from 2013 due to a partial freeze on revisions to ICD-9-CM. The freeze is to assist with the transition to ICD-10-CM, which is set to occur October 1, 2015. For more information on the transition, see www.asha.org/Practice/reimbursement/coding/ICD-10/.

For the most up-to-date information, go to ASHA's Billing and Reimbursement Web site at www.asha.org/practice/reimbursement/coding/.

For additional information, contact the Health Care Economics and Advocacy Team by e-mail at reimbursement@asha.org.

Table of Contents

ICD-9-CM DIAGNOSTIC CODES **4**

ICD-9-CM - Volume 1..... **4**

Ch. 1 Infectious and Parasitic Diseases (001-009)..... 5

Ch. 2 Neoplasms (140-239) 5

Ch. 3 Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders (240-279) 7

Ch. 4 Diseases of the Blood and Blood-Forming Organs (280-289) 7

Ch. 5 Mental Disorders (290-319) 7

Ch. 6 Diseases of the Nervous System and Sense Organs (320-389) 12

Ch. 7 Diseases of the Circulatory System (390-459) 19

Ch. 8 Diseases of the Respiratory System (460-519) 20

Ch. 9 Diseases of the Digestive System (520-579) 22

Ch. 10 Diseases of the Genitourinary System (580-629)..... 24

Ch. 11 Complications of Pregnancy, Childbirth and the Puerperium (630-676)..... 24

Ch. 12 Diseases of the Skin and Subcutaneous Tissue (680-709) 24

Ch. 13 Diseases of the Musculoskeletal System and Connective Tissue (710-739)..... 24

Ch. 14 Congenital Anomalies (740-759)..... 24

Ch. 15 Certain Conditions Originating in the Perinatal Period (760-779) 26

Ch. 16 Symptoms, Signs, and Ill-defined Conditions (780-799) 26

Ch. 17 Injury and Poisoning (800-999) 30

V Codes..... **32**

ICD-9-CM - Volume 3..... **35**

Coding Normal Results Questions and Answers **37**

Code to the Highest Degree of Specificity **40**

Transitioning to ICD-10 **41**

ICD-9-CM Diagnostic Codes

Overview:

The International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) is based on the World Health Organization's Ninth Revision, International Classification of Diseases (ICD-9). ICD-9-CM is the official system of assigning codes to diagnoses and procedures associated with hospital utilization in the United States. The **ICD-9** is used to code and classify mortality data from death certificates.

The ICD-9-CM consists of:

- A tabular list containing a numerical list of the disease code numbers in tabular form;
- An alphabetical index to the disease entries, and
- A classification system for surgical, diagnostic, and therapeutic procedures (alphabetic index and tabular list).

The National Center for Health Statistics (NCHS) and the **Centers for Medicare and Medicaid Services** are the U.S. governmental agencies responsible for overseeing all changes and modifications to the ICD-9-CM.

Scope:

The intent of ICD-9-CM is to standardize disease and procedure classification throughout the United States, and to gather data about basic health statistics.

Purpose:

HIPAA legislation requires the ICD-9-CM to be used for health services billing and record keeping.

Relation to Professional Scope of Practice:

The speech-language pathologist and audiologist practicing in a medical setting, especially a hospital, may have to code delivery of services according to the ICD-9-CM.

Official ICD-9-CM Web sites:

National Center for Health Statistics:

www.cdc.gov/nchs/about/major/dvs/icd9des.htm

Centers for Medicare and Medicaid Services:

www.cms.hhs.gov/ICD9ProviderDiagnosticCodes/

ICD-9-CM Official Guidelines for Coding and Reporting, Effective October 1, 2011

www.cdc.gov/nchs/data/icd/icd9cm_guidelines_2011.pdf

ICD-9-CM - Volume 1

Classification of Diseases and Injuries

Related to speech and hearing disorders

Note: This is **not** a comprehensive list and a number of codes are included for information purposes only. Entries with only three or four digits may require coding to a higher degree of specificity than indicated here. However, in general, audiology and speech-language pathology related diagnoses will be listed to their highest level of specificity.

Ch. 1 Infectious and Parasitic Diseases (001-009)

042 AIDS

Ch. 2 Neoplasms (140-239)

Malignant Neoplasm of Lip, Oral Cavity, and Pharynx (140-149)

- 140 Malignant neoplasm of lip
- 141 Malignant neoplasm of tongue
- 143 Malignant neoplasm of gum
- 144 Malignant neoplasm of floor of mouth
- 145 Malignant neoplasm of other and unspecified parts of mouth
 - 145.0 Cheek mucosa
 - 145.1 Vestibule of mouth
 - 145.2 Hard palate
 - 145.3 Soft palate
 - 145.4 Uvula
 - 145.5 Palate, unspecified
 - 145.6 Retromolar area
 - 145.8 Other specified parts of mouth
 - 145.9 Mouth, unspecified
- 146 Malignant neoplasm of oropharynx
- 147 Malignant neoplasm of nasopharynx
- 148 Malignant neoplasm of hypopharynx
- 149 Malignant neoplasm of other and ill-defined sites within lip, oral cavity, and pharynx
- 150 Malignant neoplasm of esophagus
 - 150.3 Upper third of esophagus
 - 150.4 Middle third of esophagus
 - 150.5 Lower third of esophagus

Malignant Neoplasm of Respiratory and Intrathoracic Organs (160-165)

- 160 Malignant neoplasm of nasal cavities, middle ear, and accessory sinuses
 - 160.1 Auditory tube, middle ear and mastoid air cells
- 161 Malignant neoplasm of larynx

Malignant Neoplasm of Bone, Connective Tissue, Skin, and Breast (170-176)

- 170 Malignant neoplasm of bone and articular cartilage
 - 170.1 Malignant neoplasm of mandible

Malignant Neoplasm of Other and Unspecified Sites (190-199)

- 191 Malignant neoplasm of brain
 - 191.0 Cerebrum, except lobes and ventricles
 - 191.1 Frontal lobe
 - 191.2 Temporal lobe
 - 191.3 Parietal lobe
 - 191.4 Occipital lobe
 - 191.5 Ventricles
 - 191.6 Cerebellum NOS
 - 191.7 Brain stem
 - 191.8 Other parts of brain
 - 191.9 Brain, unspecified
- 195 Malignant neoplasm of other and ill-defined sites
 - 195.0 Head, face, and neck
- 196 Secondary and unspecified malignant neoplasm of lymph nodes
 - 196.0 Lymph nodes of head, face, and neck
- 197 Secondary malignant neoplasm of respiratory and digestive systems
- 198 Secondary malignant neoplasm of other specified sites
 - 198.3 Brain and spinal cord
 - 198.4 Other parts of nervous system
 - Meninges (cerebral) (spinal)

Benign Neoplasms (210-229)

- 210 Benign neoplasm of lip, oral cavity, and pharynx
 - 210.0 Lip
 - 210.1 Tongue
 - 210.2 Major salivary glands
 - 210.3 Floor of mouth
 - 210.4 Other and unspecified parts of mouth
 - Palate (hard) (soft)
 - Oral mucosa
 - Gum (upper) (lower)
 - Oral cavity NOS
 - 210.6 Other parts of oropharynx
 - 210.7 Nasopharynx
 - 210.8 Hypopharynx
 - 210.9 Pharynx, unspecified
- 212 Benign neoplasm of respiratory and intrathoracic organs
 - 212.0 Nasal cavities, middle ear, and accessory sinuses
 - 212.1 Larynx
 - 212.2 Trachea
- 213 Benign neoplasm of bone and articular cartilage
 - 213.0 Bones of skull and face
 - 213.1 Lower jaw bone
- 225 Benign neoplasm of brain and other parts of nervous system
 - 225.0 Brain
 - 225.1 Cranial nerves
 - 225.2 Cerebral meninges

Carcinoma in Situ (230-234)

- 230 Carcinoma in situ of digestive organs
 - 230.0 Lip, oral cavity, and pharynx
 - 230.1 Esophagus
- 231 Carcinoma in situ of respiratory system
 - 231.0 Larynx
 - 232.1 Trachea
- 232 Carcinoma in situ of skin
 - 232.0 Skin of lip
 - 232.2 Ear and external auditory canal

Neoplasms of Uncertain Behavior (235-238)

- 237 Neoplasm of endocrine glands and nervous system
 - 237.3 Neoplasm of paraganglia
 - 237.5 Brain and spinal cord
 - 237.6 Meninges
 - 237.7 Neurofibromatosis
 - 237.72 Neurofibromatosis, type 2 [acoustic neurofibromatosis]
- 239 Neoplasms of unspecified nature
 - 239.6 Brain

Ch. 3 Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders (240-279)

Other Metabolic and Immunity Disorders (270-279)

- 279 Disorders involving the immune mechanism
 - 279.4 Autoimmune disease, not elsewhere classified

Ch. 4 Diseases of the Blood and Blood-Forming Organs (280-289)

Ch. 5 Mental Disorders (290-319)

Psychoses (290-299)

- 290 Dementias
 - 290.0 Senile dementia, uncomplicated
 - Excludes: *mild memory disturbances, not amounting to dementia, associated with senile brain disease (310.89)*
 - 290.1 Presenile dementia
 - Brain syndrome with presenile brain disease
 - 290.4 Vascular dementia
 - Multi-infarct dementia or psychosis
 - Use additional code to identify cerebral atherosclerosis (437.0)
 - 290.8 Other specified senile psychotic conditions
 - Presbyophrenic psychosis
- 291 Alcohol-induced mental disorders
 - 291.1 Alcohol-induced persisting amnestic disorder
 - Korsakoff's psychosis, alcoholic
 - Wenicke-Korsakoff syndrome (alcoholic)
 - 291.2 Alcohol-induced persisting dementia
- 293 Transient mental disorders due to conditions classified elsewhere
 - 293.0 Delirium due to conditions classified elsewhere

- 293.1 Subacute delirium
- 294 Persistent mental disorders due to conditions classified elsewhere
 - 294.0 Amnestic disorder in conditions classified elsewhere
 - Korsakoff's psychosis or syndrome (nonalcoholic)
 - 294.1 Dementia in conditions classified elsewhere
 - Code first: *Any underlying physical condition, as:*
 - For example:* Alzheimer's disease (331.0)
 - Epilepsy (345.0-345.9)
 - Multiple Sclerosis (340)
 - Parkinson's disease (332.0)
 - 294.10 Dementia in conditions classified elsewhere without behavioral disturbance
 - 294.11 Dementia in conditions classified elsewhere with behavioral disturbance
 - 294.2 Dementia, unspecified
 - Excludes: *mild memory disturbances, not amounting to dementia (310.89)*
 - 294.20 Dementia, unspecified, without behavioral disturbance
 - Dementia NOS
 - 294.21 Dementia, unspecified, with behavioral disturbance
 - Aggressive behavior
 - Combative behavior
 - Violent behavior
 - 294.8 Other persistent mental disorders due to conditions classified elsewhere
 - Excludes: *mild memory disturbances, not amounting to dementia (310.89)*
 - 294.9 Unspecified persistent mental disorders due to conditions classified elsewhere

- 295 Schizophrenic disorders
 - Excludes: *childhood type schizophrenia (299.9)*
 - infantile autism (299.0)*

- 296 Episodic mood disorders
- 299 Pervasive developmental disorder

The following fifth-digit subclassification is for use with category 299:

0	current or active state
1	residual state

- 299.0 Autistic disorder
 - [0-1] Childhood autism
 - Infantile psychosis
 - Kanner's syndrome
 - Excludes: *disintegrative psychosis (299.1)*
 - Heller's syndrome (299.1)*
 - Schizophrenic syndrome of childhood (299.9)*
- 299.1 Childhood disintegrative psychosis
 - [0-1] Heller's syndrome
 - Use additional code to identify any associated neurological disorder
 - Excludes: *infantile autism (299.0)*
 - schizophrenic syndrome of childhood (299.9)*

- 299.8 Other specified pervasive developmental disorders
 - [0-1] Asperger's disorder
 - Atypical childhood psychosis
 - Borderline psychosis of childhood
 - Excludes: *simple stereotypes without psychotic disturbance (307.3)*
- 299.9 Unspecified pervasive developmental disorder
 - [0-1] Child psychosis NOS
 - Pervasive developmental disorder NOS
 - Schizophrenia, childhood type NOS
 - Schizophrenic syndrome of childhood NOS
 - Excludes: *schizophrenia of adult type occurring in childhood (295.0-295.9)*

Neurotic Disorders, Personality Disorders, and Other Nonpsychotic Mental Disorders (300-316)

- 300 Anxiety, dissociative and somatoform disorders
 - 300.1 Dissociative, conversion and factitious disorders
 - 300.11 Conversion disorder
 - Hysterical:
 - blindness
 - deafness
 - paralysis
- 307 Special symptoms or syndromes, not elsewhere classified
 - Note: This category is intended for use if the psychopathology is manifested by a single specific symptom or groups of symptoms which is not part of an organic illness or other mental disorder classifiable elsewhere.
 - 307.0 Adult onset fluency disorder
 - Excludes: *childhood onset fluency disorder (315.35)*
 - fluency disorder due to late effect of CVA (438.14)*
 - fluency disorder in conditions classified elsewhere (784.52)*
 - 307.9 Other and unspecified special symptoms or syndromes, not elsewhere classified
 - Communication disorder NOS
 - Hair plucking
 - Lalling
 - Lisping
 - Masturbation
 - Nail-biting
 - Thumb-sucking
- 310 Specific nonpsychotic mental disorders due to brain damage
 - Excludes: *neuroses, personality disorders, or other nonpsychotic conditions occurring in a form similar to that seen with functional disorders but in association with a physical condition (300.0-300.9, 301.0-301.9)*
 - 310.0 Frontal lobe syndrome
 - Lobotomy syndrome
 - Postleucotomy syndrome [state]
 - Excludes: *postcontusion syndrome (310.2)*

- 310.1 Personality change due to conditions classified elsewhere
 - Cognitive or personality change of other type, of nonpsychotic severity
 - Organic psychosyndrome of nonpsychotic severity
 - Presbyophrenia NOS
 - Senility with mental changes of nonpsychotic severity
 - Excludes: *mild cognitive impairment (331.83)*
 - postconcussion syndrome (310.2)*
 - signs and symptoms involving emotional state (799.21-799.29)*
- 310.2 Postconcussion syndrome
 - Postcontusion syndrome or encephalopathy
 - Posttraumatic brain syndrome, nonpsychotic
 - Status postcommotio cerebri
 - Excludes: *any organic psychotic conditions following head injury (293.0-294.0)*
 - frontal lobe syndrome (310.0)*
 - postencephalitic syndrome (310.89)*
- 310.8 Other specified nonpsychotic mental disorders following organic brain damage
 - 310.81 Pseudobulbar affect
 - Involuntary emotional expression disorder
 - Code first underlying cause, if known, such as:
 - amyotrophic lateral sclerosis (335.20)*
 - late effect of cerebrovascular accident (438.89)*
 - late effect of traumatic brain injury (907.0)*
 - multiple sclerosis (340)*
 - 310.89 Other specified nonpsychotic mental disorders following organic brain damage
 - Mild memory disturbance
 - Other focal (partial) organic psychosyndromes
 - Postencephalitic syndrome
 - Excludes: *memory loss of unknown cause (780.93)*
- 313 Disturbance of emotions specific to childhood and adolescence
 - 313.2 Sensitivity, shyness, and social withdrawal disorder
 - 313.23 Selective mutism
 - Excludes: *elective mutism as adjustment reaction (309.83)*
- 314 Hyperkinetic syndrome of childhood
 - 314.0 Attention deficit disorder
 - 314.00 Without mention of hyperactivity
 - 314.01 With hyperactivity
 - 314.1 Hyperkinesis with developmental delay
 - Developmental disorder of hyperkinesis
 - Use additional code to identify any associated neurological disorder
- 315 Specific delays in development
 - Excludes: *that due to a neurological disorder (320.0-389.0)*
 - 315.0 Specific reading disorder
 - 315.00 Reading disorder, unspecified
 - 315.01 Alexia
 - 315.02 Developmental dyslexia

- 315.09 Other
 - specific spelling difficulty
- 315.1 Mathematics disorder
 - Dyscalculia
- 315.2 Other specific learning difficulties
 - Disorder of written expression
 - Excludes: *specific arithmetical disorder (315.1)*
 - specific reading disorder (315.00-315.09)*
- 315.3 Developmental speech or language disorder
 - 315.31 Expressive language disorder
 - Developmental aphasia
 - Word deafness
 - Excludes: *Acquired aphasia (784.3)*
 - Elective mutism (309.83, 313.0, 313.23)*
 - 315.32 Mixed receptive-expressive language disorder
 - Central auditory processing disorder
 - Excludes: *acquired auditory processing disorder (388.45)*
 - 315.34 Speech and language developmental delay due to hearing loss
 - 315.35 Childhood onset fluency disorder
 - Cluttering NOS
 - Stuttering NOS
 - Excludes: *adult onset fluency disorder (307.0)*
 - fluency disorder due to late effect of CVA (438.14)*
 - fluency disorder in conditions classified elsewhere (784.52)*
 - 315.39 Other
 - Developmental articulation disorder
 - Dyslalia
 - Phonological disorder
 - Excludes: *Lisping and lalling (307.9)*
- 315.4 Developmental coordination disorder
 - Clumsiness syndrome
 - Dyspraxia syndrome
 - Specific motor development disorder
- 315.5 Mixed developmental disorder
- 315.8 Other specific delays in development
- 315.9 Unspecified delay in development
 - Developmental disorder NOS
 - Learning disorder NOS

Intellectual Disabilities (317-319)

- 317 Mild intellectual disabilities
- 318 Other specific intellectual disabilities
 - 318.0 Moderate intellectual disabilities
 - 318.1 Severe intellectual disabilities
 - 318.2 Profound intellectual disabilities
- 319 Unspecified intellectual disabilities

Ch. 6 Diseases of the Nervous System and Sense Organs (320-389)

Inflammatory Diseases of the Central Nervous System (320-326)

- 320 Bacterial meningitis
- 321 Meningitis due to unspecified bacterium
- 322 Meningitis of unspecified cause
- 323 Encephalitis, myelitis, and encephalomyelitis

Hereditary and Degenerative Diseases of the Central Nervous System (330-337)

- 330 Cerebral degenerations usually manifest in childhood
- 331 Other cerebral degenerations
 - 331.0 Alzheimer's disease
 - 331.1 Frontotemporal dementia
 - 331.11 Pick's Disease
 - 331.2 Senile degeneration of brain
 - 331.8 Other cerebral degeneration
 - 331.83 Mild cognitive impairment, so stated
 - Excludes: *altered mental status (780.97)*
 - cerebral degeneration (331.0-331.9)*
 - change in mental status (780.97)*
 - cognitive deficits following (late effects of) cerebral hemorrhage or infarction (438.0)*
 - cognitive impairment due to intracranial or head injury (850-854, 959.01)*
 - cognitive impairment due to late effect of intracranial injury (907.0)*
 - cognitive impairment due to skull fracture (800-801, 803-804)*
 - dementia (290.0-290.43, 294.8)*
 - mild memory disturbance (310.8)*
 - neurologic neglect syndrome (781.8)*
 - personality change, nonpsychotic (310.1)*
- 332 Parkinson's disease
 - 332.0 Paralysis agitans
 - 332.1 Secondary Parkinsonism
- 333 Other extrapyramidal disease and abnormal movement disorders
 - 333.0 Other degenerative diseases of the basal ganglia
 - 333.1 Essential and other specified forms of tremor
 - 333.2 Myoclonus
 - 333.3 Tics of organic origin
 - 333.4 Huntington's chorea
 - 333.5 Other choreas
 - 333.6 Genetic torsion dystonia
 - 333.7 Acquired torsion dystonia
 - 333.71 Athetoid cerebral palsy
- 334 Spinocerebellar disease
 - 334.0 Friedreich's ataxia
 - 334.2 Primary cerebellar degeneration

- 334.3 Other cerebellar ataxia
- 334.4 Cerebellar ataxia in diseases classified elsewhere
- 335 Anterior horn cell disease
 - 335.2 Motor neuron disease
 - 335.20 Amyotrophic lateral sclerosis
 - Motor neuron disease (bulbar) (mixed type)
 - 335.21 Progressive muscular atrophy
 - 335.22 Progressive bulbar palsy
 - 335.23 Pseudobulbar palsy
 - 335.24 Primary lateral sclerosis
 - 335.29 Other

Other Disorders of the Central Nervous System (340-349)

- 340 Multiple sclerosis
- 343 Infantile cerebral palsy
 - 343.0 Diplegic
 - 343.1 Hemiplegic
 - 343.2 Quadriplegic
 - 343.3 Monoplegic
 - 343.4 Infantile hemiplegia
 - 343.8 Other specified infantile cerebral palsy
 - 343.9 Infantile cerebral palsy, unspecified
- 345 Epilepsy and recurrent seizures
- 348 Other conditions of brain
 - 348.0 Cerebral cysts
 - 348.1 Anoxic brain damage
 - 348.2 Benign intracranial hypertension
 - 348.3 Encephalopathy, unspecified
 - 348.4 Compression of brain
 - 348.5 Cerebral edema
 - 348.8 Other conditions of brain
 - 348.9 Unspecified condition of brain
- 349 Other and unspecified disorders of the nervous system

Disorders of the Peripheral Nervous System (350-359)

- 358 Myoneural disorders
 - 358.0 Myasthenia gravis
- 359 Muscular dystrophies and other myopathies
 - 359.0 Congenital hereditary muscular dystrophy
 - 359.1 Hereditary progressive muscular dystrophy

Diseases of the Ear and Mastoid Process (380-389)

- 380 Disorders of external ear
 - 380.0 Perichondritis and chondritis of pinna
 - Chondritis of auricle
 - Perichondritis of auricle
 - 380.00 Perichondritis of pinna, unspecified
 - 380.01 Acute perichondritis of pinna
 - 380.02 Chronic perichondritis of pinna

- 380.03 Chondritis of pinna
- 380.1 Infective otitis externa
 - 380.10 Infective otitis externa
 - 380.11 Acute infection of pinna
 - 380.12 Acute swimmers' ear
 - 380.13 Other acute infections of external ear
 - Code first underlying disease, as:*
 - erysipelas (035)
 - impetigo (684)
 - seborrheic dermatitis (690.10-690.18)
 - Excludes: *herpes simplex (054.73)*
 - herpes zoster (053.71)*
 - 380.14 Malignant otitis externa
 - 380.15 Chronic myotic otitis externa
 - Code first underlying disease, as:*
 - aspergillosis (117.3)
 - otomycosis NOS (111.9)
 - Excludes: *candida otitis externa (112.82)*
 - 380.16 Other chronic infective otitis externa
 - Chronic infective otitis externa NOS
- 380.4 Impacted cerumen
 - Wax in ear
- 381 Nonsuppurative otitis media and Eustachian tube disorders
 - 381.0 Acute nonsuppurative otitis media
 - Acute tubotympanic catarrh
 - Otitis media, acute or subacute
 - catarrhal
 - exudative
 - transudative
 - with effusion
 - Excludes: *otitic barotrauma (993.0)*
 - 381.00 Acute nonsuppurative otitis media, unspecified
 - 381.01 Acute serous otitis media
 - Acute or subacute secretory otitis media
 - 381.02 Acute muroid otitis media
 - Acute or subacute seromucinous otitis media; Blue drum syndrome
 - 381.03 Acute sanguinous otitis media
 - 381.04 Acute allergic serous otitis media
 - 381.05 Acute allergic muroid otitis media
 - 381.06 Acute allergic sanguinous otitis media
 - 381.1 Chronic serous otitis media
 - 381.10 Chronic serous otitis media, simple or unspecified
 - 381.19 Other
 - Serosanguinous chronic otitis media
 - 381.2 Chronic muroid otitis media
 - Glue ear
 - 381.20 Chronic muroid otitis media, simple or unspecified

- 381.29 Other
 - Mucosanguinous chronic otitis media
- 381.3 Other and unspecified chronic nonsuppurative otitis media
- 381.4 Nonsuppurative otitis media, not specified as acute or chronic
- 382 Suppurative and unspecified otitis media
 - 382.0 Acute suppurative otitis media
 - Otitis media, acute:
 - necrotizing NOS
 - purulent
 - 382.00 Acute suppurative otitis media without spontaneous rupture of ear drum
 - 382.01 Acute suppurative otitis media with spontaneous rupture of ear drum
 - 382.02 Acute suppurative otitis media in diseases classified elsewhere
 - Code first underlying disease, as:*
 - influenza (487.8)
 - scarlet fever (034.1)
 - 382.1 Chronic tubotympanic supprative otitis media
 - Benign chronic suppurative otitis media (with anterior perforation of ear drum)
 - Chronic tubotympanic disease (with anterior perforation of ear drum)
 - 382.2 Chronic atticoantral suppurative otitis media
 - Chronic atticoantral disease (with posterior or superior marginal perforation of ear drum)
 - Persistent mucosal disease (with posterior or superior marginal perforation of ear drum)
 - 382.3 Unspecified chronic suppurative otitis media
 - Chronic purulent otitis media
 - Excludes: *tuberculous otitis media (017.4)*
 - 382.4 Unspecified suppurative otitis media
 - Purulent otitis media NOS
 - 382.9 Unspecified otitis media
 - Otitis media:
 - NOS
 - acute NOS
 - chronic NOS
- 384 Other disorders of tympanic membrane
 - 384.0 Acute myringitis without mention of otitis media
 - 384.00 Acute myringitis, unspecified
 - Acute tympanitis NOS
 - 384.01 Bullous myringitis
 - Myringitis bullosa hemorrhagica
 - 384.09 Other
 - 384.1 Chronic myringitis without mention of otitis media
 - Chronic tympanitis

- 384.2 Perforation of tympanic membrane
 - Perforation of ear drum:
 - NOS
 - persistent posttraumatic
 - postinflammatory
 - Excludes: *otitis media with perforation of tympanic membrane (382.00-382.9)*
 - traumatic perforation (current injury) (872.61)*
- 384.20 Perforation of tympanic membrane, unspecified
- 384.21 Central perforation of tympanic membrane
- 384.22 Attic perforation of tympanic membrane
 - Pars flaccida
- 384.23 Other marginal perforation of tympanic membrane
- 384.24 Multiple perforations of tympanic membrane
- 384.25 Total perforation of tympanic membrane
- 384.8 Other specified disorders of tympanic membrane
 - 384.81 Atrophic flaccid tympanic membrane
 - Healed perforation of ear drum
 - 384.82 Atrophic nonflaccid tympanic membrane
- 384.9 Unspecified disorder of tympanic membrane
- 385 Other disorders of middle ear and mastoid
 - Excludes: *mastoiditis (383.0-383.9)*
 - 385.0 Tympanosclerosis
 - 385.00 Tympanosclerosis, unspecified as to involvement
 - 385.01 Tympanosclerosis involving tympanic membrane only
 - 385.02 Tympanosclerosis involving tympanic membrane and ear ossicles
 - 385.03 Tympanosclerosis involving tympanic membrane, ear ossicles, and middle ear
 - 385.09 Tympanosclerosis involving other combination of structures
 - 385.1 Adhesive middle ear disease
 - Adhesive otitis
 - Otitis media:

chronic adhesive	Otitis media:
	fibrotic
 - Excludes: *glue ear (381.20-381.29)*
 - 385.10 Adhesive middle ear disease, unspecified as to involvement
 - 385.11 Adhesions of drum head to incus
 - 385.12 Adhesions of drum head to stapes
 - 385.13 Adhesions of drum head to promontorium
 - 385.19 Other adhesions and combinations
 - 385.2 Other acquired abnormality of ear ossicles
 - 385.21 Impaired mobility of malleus; Ankylosis of malleus
 - 385.22 Impaired mobility of other ear ossicles; Ankylosis of ear ossicles, except malleus
 - 385.23 Discontinuity or dislocation of ear ossicles
 - 385.24 Partial loss or necrosis of ear ossicles

- 385.3 Cholesteatoma of middle ear and mastoid
 - Cholesterosis
 - Epidermosis
 - Keratosi
 - Polyp
 } of (middle) ear
 - Excludes: *cholesteatoma:*
 - external ear canal (380.21)*
 - recurrent of postmastoidectomy cavity (383.32)*
- 385.30 Cholesteatoma, unspecified
- 385.31 Cholesteatoma of attic
- 385.32 Cholesteatoma of middle ear
- 385.33 Cholesteatoma of middle ear and mastoid
- 385.35 Diffuse cholesteatosis
- 385.8 Other disorders of middle ear and mastoid
 - 385.82 Cholesterin granuloma
 - 385.83 Retained foreign body of middle ear
 - 385.89 Other
- 385.9 Unspecified disorder of middle ear and mastoid
- 386 Vertiginous syndromes and other disorders of vestibular system
 - Excludes: *vertigo NOS (780.4)*
 - 386.0 Meniere's disease
 - Endolymphatic hydrops
 - Lermoyez's syndrome
 - Meniere's syndrome or vertigo
 - 386.00 Meniere's disease, unspecified Meniere's disease (active)
 - 386.01 Active Meniere's disease, cochleovestibular
 - 386.02 Active Meniere's disease, cochlear
 - 386.03 Active Meniere's disease, vestibular
 - 386.04 Inactive Meniere's disease, Meniere's disease in remission
 - 386.1 Other and unspecified peripheral vertigo
 - Excludes: *epidemic vertigo (078.81)*
 - 386.10 Peripheral vertigo, unspecified
 - 386.11 Benign paroxysmal positional vertigo
 - Benign paroxysmal positional nystagmus
 - 386.12 Vestibular neuronitis
 - Acute (and recurrent) peripheral vestibulopathy
 - 386.19 Other
 - Aural vertigo
 - Otogenic vertigo
 - 386.2 Vertigo of central origin
 - Central positional nystagmus
 - Malignant positional vertigo
 - 386.3 Labyrinthitis
 - 386.30 Labyrinthitis, unspecified
 - 386.31 Serous labyrinthitis
 - Diffuse labyrinthitis
 - 386.32 Circumscribed labyrinthitis
 - Focal labyrinthitis
 - 386.33 Suppurative labyrinthitis

- 386.34 Toxic labyrinthitis
- 386.35 Viral labyrinthitis
- 386.4 Labyrinthine fistula
 - 386.40 Labyrinthine fistula, unspecified
 - 386.41 Round window fistula
 - 386.42 Oval window fistula
 - 386.43 Semicircular canal fistula
 - 386.48 Labyrinthine fistula of combined sites
- 386.5 Labyrinthine dysfunction
 - 386.50 Labyrinthine dysfunction, unspecified
 - 386.51 Hyperactive labyrinth, unilateral
 - 386.52 Hyperactive labyrinth, bilateral
 - 386.53 Hypoactive labyrinth, unilateral
 - 386.54 Hypoactive labyrinth, bilateral
 - 386.55 Loss of labyrinthine reactivity, unilateral
 - 386.56 Loss of labyrinthine reactivity, bilateral
 - 386.58 Other forms and combinations
- 386.8 Other disorders of labyrinth
- 386.9 Unspecified vertiginous syndromes and labyrinthine disorders
- 387 Otosclerosis
- 388 Other disorders of ear
 - 388.0 Degenerative and vascular disorders of ear
 - 388.00 Degenerative and vascular disorders, unspecified
 - 388.01 Presbycusis
 - 388.02 Transient ischemic deafness
 - 388.1 Noise effects on inner ear
 - 388.10 Noise effects on inner ear, unspecified
 - 388.11 Acoustic trauma (explosive) to ear
 - Otitic blast injury
 - 388.12 Noise-induced hearing loss
 - 388.2 Sudden hearing loss, unspecified
 - 388.3 Tinnitus
 - 388.30 Tinnitus, unspecified
 - 388.31 Subjective tinnitus
 - 388.32 Objective tinnitus
 - 388.4 Other abnormal auditory perception
 - 388.40 Abnormal auditory perception, unspecified
 - 388.41 Diplacusis
 - 388.42 Hyperacusis
 - 388.43 Impairment of auditory discrimination
 - 388.44 Recruitment
 - 388.45 Acquired auditory processing disorder
 - 388.5 Disorders of acoustic nerve
 - Acoustic neuritis
 - Degeneration of acoustic or eighth nerve
 - Disorder of acoustic or eighth nerve
 - Excludes: *acoustic neuroma (225.1)*
syphilitic acoustic neuritis (094.86)

- 389 Hearing Loss
 - 389.0 Conductive hearing loss
 - 389.00 Conductive hearing loss, unspecified
 - 389.01 Conductive hearing loss, external ear
 - 389.02 Conductive hearing loss, tympanic membrane
 - 389.03 Conductive hearing loss, middle ear
 - 389.04 Conductive hearing loss, inner ear
 - 389.05 Conductive hearing loss, unilateral
 - 389.06 Conductive hearing loss, bilateral
 - 389.08 Conductive hearing loss of combined types
 - 389.1 Sensorineural hearing loss
 - Perceptive hearing loss or deafness
 - Excludes: *abnormal auditory perception (388.40-388.44)*
mixed conductive and sensorineural hearing loss (389.20-389.22)
psychogenic deafness (306.7)
 - 389.10 Sensorineural hearing loss, unspecified
 - 389.11 Sensory hearing loss, bilateral
 - 389.12 Neural hearing loss, bilateral
 - 389.13 Neural hearing loss, unilateral
 - 389.14 Central hearing loss
 - 389.15 Sensorineural hearing loss, unilateral
 - 389.16 Sensorineural hearing loss, asymmetrical
 - 389.17 Sensory hearing loss, unilateral
 - 389.18 Sensorineural hearing loss, bilateral
 - 389.2 Mixed conductive and sensorineural hearing loss
 - Deafness or hearing loss of type classifiable to 389.00 – 389.08 with type classifiable to 389.10 – 389.18
 - 389.20 Mixed hearing loss, unspecified
 - 389.21 Mixed hearing loss, unilateral
 - 389.22 Mixed hearing loss, bilateral
 - 389.7 Deaf, non-speaking, not elsewhere classifiable
 - 389.8 Other specified forms of hearing loss
 - 389.9 Unspecified hearing loss
 - Deafness NOS

Ch. 7 Diseases of the Circulatory System (390-459)

Cerebrovascular Disease (430-438)

- 430 Subarachnoid Hemorrhage
- 431 Intracerebral hemorrhage
- 432 Other and unspecified intracranial hemorrhage
- 434 Occlusion of cerebral arteries
- 435 Transient cerebral ischemia
 - 435.9 Unspecified transient cerebral ischemia
 - Impending CVA
 - Intermittent cerebral ischemia
 - Transient ischemic attack (TIA)
- 436 Acute, but ill-defined, cerebrovascular disease

- 437 Other and ill-defined cerebrovascular disease
 - 437.0 Cerebral atherosclerosis
 - 437.1 Other generalized ischemic cerebrovascular disease
 - 437.2 Hypertensive encephalopathy
 - 437.3 Cerebral aneurysm, nonruptured
 - 437.9 Unspecified
 - Cerebrovascular disease or lesion NOS

438 Late effects of cerebrovascular disease

Note: This category is to be used to indicate conditions in 430-437 as the cause of late effects. The “late effects” include conditions specified as such, or as sequelae, which may occur at any time after the onset of the causal condition.

- 438.0 Cognitive deficits
- 438.1 Speech and language deficits
 - 438.10 Speech and language deficits, unspecified
 - 438.11 Aphasia
 - 438.12 Dysphasia
 - 438.13 Dysarthria
 - 438.14 Fluency disorder
 - Stuttering due to late effect of CVA
 - 438.19 Other speech and language deficits
- 438.8 Other late effects of cerebrovascular disease
 - 438.81 Apraxia
 - 438.82 Dysphagia
 - Use additional code to identify the type of dysphagia, if known (787.20-787.29)
 - 438.83 Facial weakness
 - Facial droop
 - 438.84 Ataxia
 - 438.85 Vertigo
 - 438.89 Other late effects of cerebrovascular disease
 - Use additional code to identify the late effect
- 438.9 Unspecified late effects of cerebrovascular disease

Ch. 8 Diseases of the Respiratory System (460-519)

Acute Respiratory Infections (460-466)

- 462 Acute pharyngitis
- 463 Acute tonsillitis
- 464 Acute laryngitis and tracheitis
 - 464.0 Acute laryngitis
 - 464.00 Without mention of obstruction
 - 464.01 With obstruction
 - 464.1 Acute tracheitis
 - 464.10 Without mention of obstruction
 - 464.11 With obstruction
 - 464.2 Acute laryngotracheitis
 - 464.20 Without mention of obstruction
 - 464.21 With obstruction

- 464.3 Acute epiglottitis
 - Viral epiglottitis
 - 464.30 Without mention of obstruction
 - 464.31 With obstruction
- 464.4 Croup
 - Croup syndrome
- 464.5 Supraglottitis, unspecified
 - 464.50 Without mention of obstruction
 - 464.51 With obstruction

Other Diseases of the Upper Respiratory Tract (470-478)

- 474 Chronic disease of tonsils and adenoids
 - 474.1 Hypertrophy of tonsils adenoids
 - 474.10 Tonsils with adenoids`
 - 474.11 Tonsils alone
 - 474.12 Adenoids alone
- 476 Chronic laryngitis and laryngotracheitis
 - 476.0 Chronic laryngitis
 - 476.1 Chronic laryngotracheitis
- 477 Allergic rhinitis
- 478 Other diseases of the upper respiratory tract
 - 478.3 Paralysis of vocal cords or larynx
 - 478.30 Paralysis, unspecified
 - 478.31 Unilateral, partial
 - 478.32 Unilateral, complete
 - 478.33 Bilateral, partial
 - 478.34 Bilateral, complete
 - 478.4 Polyp of vocal cord or larynx
 - 478.5 Other diseases of vocal cords
 - 478.6 Edema of larynx
 - 478.7 Other diseases of larynx, not elsewhere classified
 - 478.70 Unspecified disease of larynx
 - 478.71 Cellulitis and perichondritis of larynx
 - 478.74 Stenosis of larynx
 - 478.75 Laryngeal spasm
 - 478.79 Other
 - 478.8 Upper respiratory tract hypersensitivity reaction, site unspecified
 - Excludes: *hypersensitivity reaction of lower respiratory tract, as:*
 - Extrinsic allergic alveolitis (495.0-495.9)*
 - Pneumoconiosis (500-505)*

Pneumoconioses and Other Lung Diseases Due to External Agents (500-508)

- 507 Pneumonitis due to solids and liquids
 - 507.0 Due to inhalation of food or vomitus
 - Aspiration pneumonia due to:

NOS	milk
food (regurgitated)	saliva
gastric secretions	vomitus

Ch. 9 Diseases of the Digestive System (520-579)

Diseases of Oral Cavity, Salivary Glands, and Jaws (520-529)

- 524 Dentofacial anomalies, including malocclusion
 - 524.0 Major anomalies of jaw size
 - 524.00 Unspecified anomaly
 - 524.01 Maxillary hyperplasia
 - 524.02 Mandibular hyperplasia
 - 524.03 Maxillary hypoplasia
 - 524.04 Mandibular hypoplasia
 - 524.05 Macrogenia
 - 524.06 Microgenia
 - 524.07 Excessive tuberosity of jaw
 - 524.09 Other specified anomaly
 - 524.1 Anomalies of relationship of jaw to cranial base
 - 524.10 Unspecified anomaly
 - Prognathism Retrognathism
 - 524.11 Maxillary asymmetry
 - 524.12 Other jaw asymmetry
 - 524.19 Other specified anomaly
 - 524.2 Anomalies of dental arch relationship
 - Anomaly of dental arch
 - 524.20 Unspecified anomaly of dental arch relationship
 - 524.21 Malocclusion, Angle's class I
 - Neutro-occlusion
 - 524.22 Malocclusion, Angle's class II
 - Disto-occlusion Division I
 - Disto-occlusion Division II
 - 524.23 Malocclusion, Angle's class III
 - Mesio-occlusion
 - 524.24 Open anterior occlusal relationship
 - Anterior open bit
 - 524.25 Open posterior occlusal relationship
 - Posterior open bite
 - 524.26 Excessive horizontal overlap
 - Excessive horizontal overjet
 - 524.27 Reverse articulation
 - Anterior articulation
 - Crossbite
 - Posterior articulation
 - 524.28 Anomalies of interarch distance
 - Excessive interarch distance
 - Inadequate interarch distance
 - 524.29 Other anomalies of dental arch relationship
 - Other anomalies of dental arch
 - 524.4 Malocclusion, unspecified
 - 524.5 Dentofacial functional abnormalities

- 524.50 Dentofacial function abnormality, unspecified
- 524.51 Abnormal jaw closure
- 524.52 Limited mandibular range of motion
- 524.53 Deviation in opening and closing of the mandible
- 524.54 Insufficient anterior guidance
- 524.55 Centric occlusion maximum intercuspation discrepancy
- 524.56 Non-working side interference
- 524.57 Lack of posterior occlusal support
- 524.59 Other dentofacial functional abnormalities
 - Abnormal swallowing
 - Mouth breathing
 - Sleep postures
 - Tongue, lip, or finger habits
- 524.6 Temporomandibular joint disorders
 - 524.64 Temporomandibular joint sounds on opening and/or closing the jaw
- 524.7 Dental alveolar anomalies
 - 524.75 Vertical displacement of alveolus and teeth
 - 524.76 Occlusal plane deviation
- 524.8 Other specified dentofacial anomalies
 - 524.81 Anterior soft tissue impingement
 - 524.82 Posterior soft tissue impingement
 - 524.89 Other specified dentofacial anomalies
- 524.9 Unspecified dentofacial anomalies
- 528 Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue
 - 528.9 Other and unspecified diseases of the oral soft tissues
 - ASHA Note: Such as velopharyngeal incompetence*
- 529 Diseases and other conditions of the tongue
 - 529.8 Other specified conditions of the tongue
 - Atrophy (of) tongue
 - Crenated (of) tongue
 - Enlargement (of) tongue
 - Hypertrophy (of) tongue
 - Glossocele
 - Excludes: *erythroplasia of tongue (528.79)*
 - leukoplakia of tongue (528.6)*
 - macroglossia (congenital) (750.15)*
 - microglossia (congenital) (750.16)*
 - oral submucosal fibrosis (528.8)*

Diseases of Esophagus, Stomach, and Duodenum (530-538)

- 530 Diseases of esophagus
 - 530.8 Other specified disorders of esophagus
 - 530.81 Esophageal reflux

Ch. 10 Diseases of the Genitourinary System (580-629)

Ch. 11 Complications of Pregnancy, Childbirth and the Puerperium (630-676)

Ch. 12 Diseases of the Skin and Subcutaneous Tissue (680-709)

Ch. 13 Diseases of the Musculoskeletal System and Connective Tissue (710-739)

Ch. 14 Congenital Anomalies (740-759)

- 741 Spina bifida
 - 741.0 With hydrocephalus
 - 741.9 Without mention of hydrocephalus
- 742 Other congenital anomalies of nervous system
 - 742.0 Encephalocele
 - 742.1 Microcephalus
 - 742.2 Reduction deformities of brain
 - 742.3 Congenital hydrocephalus
 - 742.4 Other specified anomalies of brain
 - 742.5 Other specified anomalies of spinal cord
 - 742.8 Other specified anomalies of nervous system
 - 742.9 Unspecified anomaly of brain, spinal cord, and nervous system
- 744 Congenital anomalies of ear, face, and neck
 - 744.0 Anomaly of ear causing impairment of hearing
 - Excludes: *congenital deafness without mention of cause (389.0-389.9)*
 - 744.00 Unspecified anomaly of ear with impairment of hearing
 - 744.01 Absence of external ear
 - 744.02 Other anomalies of external ear with impairment of hearing
 - 744.03 Anomalies of middle ear, except ossicles
 - 744.04 Anomalies of ear ossicles
 - 744.05 Anomalies of inner ear
 - 744.09 Other
 - Absence of ear, congenital
 - 744.1 Accessory auricle
 - Accessory tragus
 - Polyotia
 - Preauricular appendage
 - Supernumerary ear
 - lobule
 - 744.2 Other specified anomalies of ear
 - Excludes: *that with impairment of hearing (744.00-744.09)*
 - 744.21 Absence of ear lobe, congenital
 - 744.22 Macrotia
 - 744.23 Microtia
 - 744.24 Specified anomalies of Eustachian tube
 - Absence of Eustachian tube
 - 744.29 Other
 - Bat ear
 - Darwin's tubercle
 - Pointed ear
 - Prominence of auricle

- Ridge ear
- Excludes: *preauricular sinus (744.46)*
- 744.3 Unspecified anomaly of ear
 - Congenital:
 - anomaly NOS of ear, NEC
 - deformity NOS of ear, NEC
- 744.8 Other specified anomalies of face and neck
- 748 Congenital anomalies of respiratory system
 - 748.2 Web of larynx
 - 748.3 Other anomalies of larynx, trachea and bronchus
- 749 Cleft palate and cleft lip
 - 749.0 Cleft palate
 - 749.00 Cleft palate, unspecified
 - 749.01 Unilateral, complete
 - 749.02 Unilateral, incomplete
 - Cleft uvula
 - 749.03 Bilateral, complete
 - 749.04 Bilateral, incomplete
 - 749.1 Cleft lip
 - 749.10 Cleft lip, unspecified
 - 749.11 Unilateral, complete
 - 749.12 Unilateral, incomplete
 - 749.13 Bilateral, complete
 - 749.14 Bilateral, incomplete
 - 749.2 Cleft palate with cleft lip
 - 749.20 Cleft palate with cleft lip, unspecified
 - 749.21 Unilateral, complete
 - 749.22 Unilateral, incomplete
 - 749.23 Bilateral, complete
 - 749.24 Bilateral, incomplete
 - 749.25 Other combinations
- 750 Other congenital anomalies of upper alimentary tract
 - Excludes: *dentofacial anomalies (524.0-524.9)*
 - 750.0 Tongue tie
 - Ankyloglossia
 - 750.1 Other anomalies of tongue
 - 750.10 Anomalies of tongue, unspecified
 - 750.11 Aglossia
 - 750.12 Congenital adhesions of tongue
 - 750.13 Fissure of tongue
 - 750.15 Macroglossia
 - 750.16 Microglossia
 - Hypoplasia of tongue
 - 750.19 Other
 - 750.2 Other specified anomalies of mouth and pharynx
 - 750.29 Other specified anomalies of pharynx
- 754 Certain congenital musculoskeletal deformities
 - 754.0 Of skull, face, and jaw
- 758 Chromosomal anomalies

Includes: syndromes associated with anomalies in the number and form of chromosomes

Use additional codes for conditions associated with the chromosomal anomalies

- 758.0 Down's syndrome
 - Mongolism
 - Translocation Down's syndrome
 - Trisomy:
 - 21 or 22
 - G
- 758.2 Edward's syndrome
 - Trisomy:
 - 18
 - E₃
- 758.3 Autosomal deletion syndromes
 - 758.31 Cri-du-chat syndrome
 - 758.32 Velo-cardio-facial syndrome
 - 758.33 Other microdeletions
 - Miller-Dieker syndrome
 - Smith-Magenis syndrome
- 758.5 Other conditions due to autosomal anomalies
- 758.7 Klinefelter's syndrome (males only)
 - XXY syndrome
- 758.8 Other conditions due to chromosome anomalies
- 758.9 Conditions due to anomaly of unspecified chromosome

Ch. 15 Certain Conditions Originating in the Perinatal Period (760-779)

Other Conditions Originating in the Perinatal Period (764-779)

- 779 Other and ill-defined conditions originating in the perinatal period
 - 779.3 Disorder of stomach function and feeding problems in newborn
 - 779.31 Feeding problems in newborn
 - Slow feeding in newborn
 - Excludes: *feeding problem in child over 28 days old (783.3)*
 - 779.34 Failure to thrive in newborn
 - Excludes: *failure to thrive in child over 28 days old (783.41)*

Ch. 16 Symptoms, Signs, and Ill-defined Conditions (780-799)

Symptoms (780-789)

- 780 General symptoms
 - 780.4 Dizziness and giddiness
 - Light-headedness
 - Vertigo NOS
 - Excludes: *Meniere's disease and other specified vertiginous syndromes (386.0-386.9)*
 - 780.9 Other general symptoms
 - 780.93 Memory loss
 - Amnesia (retrograde)
 - Memory loss NOS
 - Excludes: *memory loss due to: intercranial injuries (850.0-854.19)*

skull fractures (800.00-801.99, 803.00-804.99)
mild memory disturbance due to organic brain
damage (310.8)

- 781 Symptoms involving nervous and musculoskeletal systems
 - 781.3 Lack of coordination
 - Ataxia NOS
 - Muscular incoordination
 - 781.8 Neurological neglect syndrome
 - Asomatognosia Left-sided neglect
 - Hemi-akinesia Sensory extinction
 - Hemi-inattention Sensory neglect
 - Hemispatial neglect Visuospatial neglect
 - 781.9 Other symptoms involving nervous and musculoskeletal systems
 - 781.94 Facial weakness
 - Facial droop
 - Excludes: *facial weakness due to late effect of CVA (438.83)*
- 783 Symptoms concerning nutrition, metabolism, and development
 - 783.3 Feeding difficulties and mismanagement
 - Feeding problem (elderly) (infant)
 - Excludes: *feeding disturbance or problems:*
in newborn (779.31-779.34)
of nonorganic origin (307.50-307.59)
 - 783.4 Lack of expected normal physiological development in childhood
 - 783.40 Lack of normal physiological development, unspecified
 - Inadequate development
 - Lack of development
 - 783.41 Failure to thrive
 - Failure to gain weight
 - Excludes: *failure to thrive in newborn (779.34)*
 - 783.42 Delayed milestones
 - Late talker
 - Late walker
- 784 Symptoms involving head and neck
 - 784.3 Aphasia
 - Excludes: *aphasia due to late effects of cerebrovascular disease*
(483.11)
developmental aphasia (315.31)
 - 784.4 Voice and resonance disorders
 - 784.40 Voice and resonance disorder, unspecified
 - 784.41 Aphonia
 - Loss of voice
 - 784.42 Dysphonia
 - Hoarseness
 - 784.43 Hypernasality
 - 784.44 Hyponasality
 - 784.49 Other voice and resonance disorders
 - Change in voice
 - 784.5 Other speech disturbance

- Excludes: *speech disorder due to late effect of CVA (438.10-438.19)*
stuttering (315.35)
- 784.51 Dysarthria
 Excludes: *Dysarthria due to late effect of CVA (438.13)*
- 784.52 Fluency disorder in conditions classified elsewhere
 Stuttering in conditions classified elsewhere
Code first underlying disease or condition, such as Parkinson's disease (332.0)
 Excludes: *adult onset fluency disorder (307.0)*
childhood onset fluency disorder (315.35)
fluency disorder due to late effect of CVA (438.14)
- 784.59 Other speech disturbance
 Dysphasia
 Slurred speech
 Speech disturbance NOS
- 784.6 Other symbolic dysfunction
 Excludes: *developmental learning delays (315.0-315.9)*
- 784.60 Symbolic dysfunction, unspecified
- 784.61 Alexia and dyslexia
 Alexia (with agraphia)
- 784.69 Other
 Acalculia
Difficulty performing simple mathematical tasks
 Agnosia
Loss of ability to recognize objects, persons, sounds, shapes, or smells
 Agraphia NOS
 Apraxia
Loss of the ability to execute or carry out movements
- 786 Symptoms involving respiratory system and other chest symptoms
- 786.0 Dyspnea and respiratory abnormalities
- 786.09 Other
 Respiratory:
 distress
 insufficiency
 Excludes: *respiratory distress:*
following trauma and surgery (518.52)
newborn (770.89)
respiratory failure (518.81, 518.83-518.84)
newborn (770.84)
syndrome (newborn) (769)
adult (518.52)
- 786.2 Cough
 Excludes: *cough:*
psychogenic (306.1)
smokers' (491.0)
with hemorrhage (786.39)

- 787 Symptoms involving digestive system
 - 787.2 Dysphagia
 - Code first, if applicable, dysphagia due to late effect of CVA (438.82)*
 - 787.20 Dysphagia, unspecified
 - 787.21 Dysphagia, oral phase
 - 787.22 Dysphagia, oropharyngeal phase
 - 787.23 Dysphagia, pharyngeal phase
 - 787.24 Dysphagia, pharyngoesophageal phase
 - 787.29 Other dysphagia
 - Cervical dysphagia
 - Neurogenic dysphagia

Nonspecific Abnormal Findings (790-796)

- 794 Nonspecific abnormal results of function studies
 - 794.0 Brain and central nervous system
 - 794.00 Abnormal function study, unspecified
 - 794.09 Other
 - Abnormal brain scan
 - 794.1 Peripheral nervous system and special senses
 - 794.13 Abnormal visually evoked potential
 - 794.15 Abnormal auditory function studies
 - 794.16 Abnormal vestibular function studies

Ill-Defined and Unknown Causes of Morbidity and Mortality (797-799)

- 797 Senility without mention of psychosis
 - Frailty
 - Old age
 - Senescence
 - Senile asthenia
 - Senile:
 - debility
 - exhaustion
 - Excludes: *senile psychoses (290.0-290.9)*
- 799 Other ill-defined and unknown causes of morbidity and mortality
 - 799.5 Signs and symptoms involving cognition
 - Excludes: *amnesia (780.93)*
 - amnesic syndrome (294.0)*
 - attention deficit disorder (314.00-314.01)*
 - late effects of cerebrovascular disease (438)*
 - memory loss (780.93)*
 - mild cognitive impairment, so stated (331.83)*
 - specific problems in developmental delay (315.00-315.9)*
 - transient global amnesia (437.7)*
 - visuospatial neglect (781.8)*
 - 799.51 Attention or concentration deficit
 - 799.52 Cognitive communication deficit
 - 799.53 Visuospatial deficit
 - 799.54 Psychomotor deficit

- 799.55 Frontal lobe and executive function deficit
- 799.59 Other signs and symptoms involving cognition

Ch. 17 Injury and Poisoning (800-999)

Fracture of Skull (800-804)

- 800 Fracture of vault skull
- 801 Fracture of base skull
- 802 Fracture of face bones
- 803 Other and unqualified skull fractures
- 804 Multiple fractures involving skull or face with other bones

Fracture of Neck and Trunk (805-809)

- 805 Fracture of vertebral column without mention of spinal cord injury
- 807 Fracture of rib(s), sternum, larynx, and trachea
 - 807.5 Larynx and trachea, closed
 - Hyoid bone
 - Thyroid cartilage
 - Trachea
 - 807.6 Larynx and trachea, open

Intracranial Injury, Excluding Those with Skull Fractures (850-854)

- 850 Concussion
- 851 Cerebral laceration and contusion
- 852 Subarachnoid, subdural, and extradural hemorrhage, following injury
- 853 Other and unspecified intracranial hemorrhage following injury
- 854 Intracranial injury of other and unspecified nature
 - Includes injury:
 - brain NOS
 - cavernous sinus
 - intracranial
 - traumatic brain NOS
 - Excludes: *any condition classifiable to 850-853*
head injury NOS (959.01)

Open Wound of Head, Neck, and Trunk (870-879)

- 872 Open wound of ear
- 873 Other open wound of head
- 874 Open wound of neck

Late Effects of Injuries, Poisonings, Toxic Effects, and Other External Causes (905-909)

- 905 Late effects of musculoskeletal and connective tissue injuries
 - 905.0 Late effect of fracture of skull and face bones
 - Late effect of injury classifiable to 800-804
- 907 Late effects of injuries to nervous system
 - 907.0 Late effect of intracranial injury without mention of skull fracture
 - Late effect of injury classifiable to 850-854

Effects of Foreign Body Entering Through Orifice (930-939)

- 931 Foreign body in ear

- 932 Foreign body in nose
- 933 Foreign body in pharynx and larynx
- 934 Foreign body in trachea, bronchus, and lung
- 935 Foreign body in mouth, esophagus, and stomach

Injury to Nerves and Spinal Cord (950-957)

- 951 Injury to other cranial nerve(s)
 - 951.0 Injury to oculomotor nerve (3rd cranial nerve)
 - 951.1 Injury to trochlear nerve (4th)
 - 951.2 Injury to trigeminal nerve (5th)
 - 951.3 Injury to abducens nerve (6th)
 - 951.4 Injury to facial nerve (7th)
 - 951.5 Injury to acoustic nerve (8th)
 - Auditory nerve
 - Traumatic deafness NOS
 - 951.6 Injury to accessory nerve (11th)
 - 951.7 Injury to hypoglossal nerve (12th)
 - 951.8 Injury to other specified cranial nerves
 - Glossopharyngeal (9th)
 - Olfactory (1st)
 - Pneumogastric (10th)
 - Traumatic anosmia NOS
 - Vagus (10th)
 - 951.9 Injury to unspecified cranial nerve

Certain Traumatic Complications and Unspecified Injuries (958-959)

- 959 Certain early complications of trauma
 - 959.0 Head, face, and neck
 - 959.01 Head injury, unspecified
 - Excludes: *concussion (850.0-850.9)*
 - with head injury NOS (850.0-850.9)*
 - head injury NOS with loss of consciousness (850.1-850.5)*
 - specified head injuries (850.0-854.1)*
 - 959.09 Unspecified site

Complications of Surgical and Medical Care, Not Elsewhere Classified (996-999)

- 997 Complications affecting specified body systems, not elsewhere classifiable

New Code

- 997.3 Respiratory complications
 - 997.32 Postprocedural aspiration pneumonia
 - Chemical pneumonitis resulting from a procedure
 - Mendelson's syndrome resulting from a procedure
 - Excludes: *aspiration pneumonia during labor and delivery (668.0)*

V Codes

Supplementary Classification of Factors Influencing Health Status and Contact with Health Services (V01-V82)

The V codes are provided to deal with occasions when circumstances other than a disease or injury classifiable to categories 001-999 (the main part of ICD), or to the E codes (supplementary classification of external causes of injury and poisoning), are recorded as “diagnoses” or “problems.” This can arise mainly in three ways:

- a. When a person who is not currently sick encounters the health services for some specific purpose, such as a donor of an organ or tissue, to receive prophylactic vaccination, or to discuss a problem which is in itself not a disease or injury. This will be a fairly rare occurrence among hospital inpatients, but will be relatively more common among hospital outpatients and patients of family practitioners, health clinics, etc.
- b. When a person with a known disease or injury, whether it is current or resolving, encounters the health care system for a specific treatment of that disease or injury (e.g., dialysis for renal disease; chemotherapy for malignancy; cast change).
- c. When some circumstance or problem is present which influences the person’s health status but is not in itself a current illness or injury. Such factors may be elicited during population surveys, when the person may or may not be currently sick, or be recorded as an additional factor to be borne in mind when the person is receiving care for some current illness or injury classifiable to categories 001-999.

In the latter circumstances the V code should be used only as a supplementary code and should not be the one selected for use in primary, single cause tabulations. Examples of these circumstances are a personal history of certain diseases, or a person with an artificial heart valve in situ.

Persons with Potential Health Hazards Related to Personal and Family History (V10-V19)

- V13 Personal history of other diseases
 - V13.6 Congenital (corrected) malformations
 - V13.64 Personal history of (corrected) congenital malformation of eye, ear, face and neck
 - Corrected cleft lip and palate
 - V13.69 Personal history of other (corrected) congenital malformations
- V15 Other personal history presenting hazards to health
 - V15.5 Injury
 - V15.52 History of traumatic brain injury

Persons with a Condition Influencing Their Health Status (V40-V49)

Note: These categories are intended for use when these conditions are recorded as “diagnoses” or “problems.”

- V40 Mental and behavioral problems
 - V40.0 Problems with learning
 - V40.1 Problems with communication (including speech)

- V40.2 Other mental problems
- V40.3 Other behavioral problems
- V40.9 Unspecified mental or behavioral problems
- V41 Problems with special senses and other special functions
 - V41.0 Problems with sight
 - V41.0 Other eye problems
 - V41.2 Problems with hearing
 - V41.3 Other ear problems
 - V41.4 Problems with voice production
 - V41.6 Problems with swallowing and mastication
- V44 Artificial opening status
 - Excludes artificial openings requiring attention or management (V55.0-V55.9)
 - V44.0 Tracheostomy
 - V44.8 Other artificial opening status
- V49 Other conditions influencing health status
 - V49.8 Other specified conditions influencing health status
 - V49.85 Dual-sensory impairment
 - Blindness with deafness
 - Combined visual hearing impairment
 - Code first:*
 - hearing impairment (389.00-389.9)
 - visual impairment (369.00-369.9)

Persons Encountering Health Services for Specific Procedures and Aftercare (V50-V59)

Note: Categories V51-V58 are intended for use to indicate a reason for care in patients who may have already been treated for some disease or injury not now present, or who are receiving care to consolidate the treatment, to deal with residual states, or to prevent recurrence.

- V52 Fitting and adjustment of prosthetic device and implant
 - V52.8 Other specified prosthetic device
 - V52.9 Unspecified prosthetic device
- V53 Fitting and adjustment of other device
 - Includes: removal of device
 - replacement of device
 - Excludes: *status only, without need for care (V45.0-V45.8)*
 - V53.2 Hearing aid
- V55 Attention to artificial openings
 - Excludes: *complications of external stoma (519.00-519.09, 569.60-569.69, 596.81-596.83, 997.49, 997.5)*
 - V55.0 Tracheostomy
 - V55.9 Unspecified artificial opening
- V57 Care involving use of rehabilitation procedures
 - V57.0 Breathing exercises
 - V57.3 Speech-language therapy
 - V57.8 Other specified rehabilitation procedure
 - V57.9 Unspecified rehabilitation procedure

- V58 Encounter for other and unspecified procedures
 - V58.1 Chemotherapy

Persons Encountering Health Services in Other Circumstances (V60-V69)

- V67 Follow-up examination
 - Includes: surveillance only following treatment
- V68 Encounters for administrative purposes
 - V68.0 Issue of medical certificates
 - V68.01 Disability examination
 - V68.2 Request for expert evidence
 - V68.8 Other specified administrative purpose
 - V68.81 Referral of patient without examination or treatment
 - V68.89 Other

Persons without Reported Diagnosis Encountered During Examination and Investigation of Individuals and Populations (V70-V82)

- V72 Special investigations and examinations
 - Includes: routine examination of specific system
 - V72.1 Examination of ears and hearing
 - V72.11 Encounter for hearing exam following failed hearing screening
 - V72.12 Encounter for hearing conservation and treatment
 - V72.19 Other exam of ears and hearing
- V79 Special screening for mental disorders and other developmental handicaps
 - V79.2 Intellectual disabilities
 - V79.3 Developmental handicaps in early childhood
 - V79.8 Other specified mental disorders and developmental handicaps
 - V79.9 Unspecified mental disorder and developmental handicap
- V80 Special screening for neurological, eye, and ear diseases
 - V80.1 Neurological conditions
 - V80.01 Traumatic brain injury
 - V80.09 Other neurological conditions
 - V80.3 Ear diseases
 - Excludes: general hearing exam (V72.1)

ICD-9-CM - Volume 3

Procedures

Volume 3 contains tabular lists of 16 categories of operations or procedures that have been adopted for inpatient procedures reported by hospitals.

4. Operations on the Ear (18-20)

- 20 Other operations on middle and inner ear
 - 20.3 Diagnostic procedures on middle and inner ear
 - 20.31 Electrocochleography

6. Operations on the Respiratory System (30-34)

- 31 Other operations on larynx and trachea
 - 31.4 Diagnostic procedures on larynx and trachea
 - 31.42 Laryngoscopy and other tracheoscopy
 - 31.48 Other diagnostic procedure on larynx
 - 31.9 Other operation on larynx and trachea
 - 31.95 Tracheoesophageal fistulization

16. Miscellaneous. Diagnostic and Therapeutic Procedures (87-99)

- 87 Diagnostic Radiology
 - 87.6 Other X-ray of digestive system
 - 87.61 Barium swallow
- 93 Physical therapy, respiration therapy, rehabilitation, and related procedures
 - 93.7 Speech and reading rehabilitation and rehabilitation of the blind
 - 93.71 Dyslexia training
 - 93.72 Dysphasia training
 - 93.73 Esophageal speech training
 - 93.74 Speech defect training
 - 93.75 Other speech training and therapy
 - 93.78 Other rehabilitation for the blind
 - 93.8 Other rehabilitation therapy
 - 93.89 Rehabilitation, not elsewhere classified
- 94 Procedures related to the psyche
 - 94.0 Psychologic evaluation and testing
 - 94.01 Administration of intelligence test
 - 94.02 Administration of psychologic test
 - 94.5 Referral for psychologic rehabilitation
- 95 Ophthalmologic and otologic diagnosis and treatment
 - 95.4 Nonoperative procedures related to hearing
 - 95.41 Audiometry
 - Bekesy 5-tone audiometry
 - Impedance audiometry
 - Stapedial reflex response
 - Subjective audiometry
 - Tympanogram

- 95.42 Clinical test of hearing
 - Tuning fork test
 - Whispered speech test
- 95.43 Audiological evaluation
 - Audiological evaluation by:
 - Barany noise machine
 - Blindfold test
 - Delayed feedback
 - Masking
 - Weber lateralization
- 95.44 Clinical vestibular function tests
 - Thermal test of vestibular function
- 95.46 Other auditory and vestibular function tests
- 95.47 Hearing examination, not otherwise specified
- 95.48 Fitting of hearing aid
 - Excludes: *implantation of electromagnetic hearing aid (20.95)*
- 95.49 Other nonoperative procedures related to hearing
 - Adjustments (external components) of cochlear prosthetic device
- 97 Replacement and removal of therapeutic appliances
 - 97.3 Nonoperative removal of therapeutic device from head and neck
 - 97.37 Removal of tracheostomy tube

Coding Normal Results Questions and Answers

Many third party payers will not reimburse for audiology or speech-language pathology services when the results of an evaluation are reported simply as within normal limits. This column describes how to use *International Classification of Diseases, Ninth Edition, Clinical Modification* (ICD-9-CM) codes when normal results are found and provides examples for major communication and related complaints that prompt the referral.

What if a speech-language pathologist or audiologist performs diagnostic testing that produces a normal result?

The signs and symptoms, chief complaint, or reason(s) for the encounter should be reported as the primary diagnosis. The audiologist or speech-language pathologist should also use additional codes that describe any co-existing or chronic conditions. Do not code conditions that were previously treated and no longer exist, although history codes may be used as secondary codes if the historical condition or family history has an impact on current care or influences treatment.

Are any instructions available on how to code when the results of an audiology or a speech-language assessment are normal?

A description of how to report an uncertain diagnosis is found in Section IV.I of the *ICD-9-CM Official Guidelines for Coding and Reporting*: “Do not code diagnoses documented as ‘probable’, ‘suspected’, ‘questionable’, ‘rule out’, or ‘working diagnosis’ or other similar terms indicating uncertainty. Rather, code the condition(s) to the highest degree of certainty for that encounter/visit, such as symptoms, signs, abnormal test results, or other reason for the visit.” The *Official Guidelines* are available at www.cdc.gov/nchs/icd/icd9cm_addenda_guidelines.htm.

Has Medicare issued any instructions?

The Centers for Medicare & Medicaid Services (CMS) issued ICD-9-CM Coding Guidelines for Diagnostic Tests in a Program Memorandum dated September 26, 2001 (Transmittal AB-01-144, Change Request 1724). This PM (now §10.1 of Chapter 23 of *Medicare Claims Manual*) directs practitioners to report diagnoses based on test results. In Section B., Instructions to Determine the Reason for the Test, CMS states that the Balanced Budget Act (BBA) required referring physicians to provide diagnostic information to the testing entity at the time the test is ordered. All diagnostic tests paid by CMS must be ordered by the physician who is treating the beneficiary. If the physician does not provide diagnostic information, and is unavailable to provide such information, it is appropriate to obtain the information directly from the patient or the patient’s medical record. However, an attempt should be made to confirm any information obtained by the patient by contacting the referring physician.

Can you provide examples of signs and symptoms for voice disorders?

(The complaint is listed in the first column and the corresponding ICD-9-CM code and disease, disorder or condition descriptor is in the second column. Many of the codes are from the Symptom, Signs, and Ill-Defined Conditions section [780-799] of the ICD -9-CM manual.)

Problems with voice production	784.40 Voice and resonance disorder, unspecified or 784.41 Aphonia, loss of voice
Hoarse/breathy/harsh/ voice	784.42 Dysphonia, Hoarseness
Nasal voice	784.43 Hypernasality
Denasal voice	784.44 Hyponasality
High pitch; low pitch	784.49 Other voice and resonance disorder
Voice disturbance	784.40 Voice disturbance, unspecified

Can you provide examples of signs and symptoms for swallowing disorders?

History of aspiration or aspiration pneumonia	507.0 Pneumonitis due to inhalation of food or vomitus
Problems with swallowing, oral phase	787.21 Dysphagia, oral phase
Problems with swallowing, pharyngeal phase	787.23 Dysphagia, oral phase
Cough	786.2 Cough
Esophageal reflux	530.81
Facial weakness	781.94 Facial weakness
Feeding difficulty	783.3 Feeding difficulties and mismanagement

Can you provide examples of signs or symptoms associated with aphasia or other expressive/receptive language disorders?

Difficulty speaking	784.51 Dysarthria
Unintelligible speech	784.51 Dysarthria
Difficulty understanding spoken language	784.3 Aphasia
Difficulty understanding written language	784.61 Alexia and dyslexia: Alexia (with agraphia)
Difficulty reading/writing	784.61
Difficulty remembering words	784.3 or 310.8 Mild memory disturbance due to organic brain damage
Difficulty expressing thoughts	784.3 or 310.8
Difficulty processing information	784.3
Difficulty following directions	784.3
Difficulty remembering tasks	310.1 or 310.8
Cognitive deficits	784.60 Symbolic dysfunction, unspecified
Word retrieval difficulties	784.3
Difficulty with word meaning	784.3

The above lists are useful to audiologists as well. Do you have other examples of signs and symptoms that will be useful to audiologists?

Sensorineural hearing loss	389.10 Sensorineural hearing loss, unspecified
Unspecified hearing loss	389.9 Unspecified hearing loss
Tinnitus	388.30 Tinnitus
Vertigo	780.4 Vertigo
Dizziness	780.4 Dizziness and giddiness
Ear pain	388.70 Otolgia, unspecified
Aural fullness	388.8 Other disorders of the ear
Discharging ear	388.60 Otorrhea, unspecified
Delayed speech and language development	315.31 Expressive language disorder or 783.42 Late talker
Articulation errors	315.39 Developmental articulation disorder or 783.42
Unintelligible speech	315.39 or 783.42
Difficulty hearing in noise	389.9
Acoustic trauma	388.11 Acoustic trauma (explosive) to ear
Facial weakness	781.94 Facial weakness, Facial droop
Facial numbness	782.0 Disturbance of skin sensation
History of tympanic membrane perforation	384.20 Perforation of the tympanic membrane, unspecified
History of noise exposure	388.10 Noise effects on inner ear, unspecified

Where can I obtain a complete list of the ICD-9-CM codes?

The complete ICD-9-CM is available in medical libraries, medical center billing offices, or may be purchased online at www.ingenix.com.

Questions about coding can be sent to reimbursement@asha.org.

Code to the Highest Degree of Specificity

Clinicians who must select ICD-9-CM diagnosis codes should use codes that provide the highest degree of accuracy and completeness, or the greatest specificity. That usually means providing an ICD-9-CM code carried to the 5th digit. The Centers for Medicare and Medicaid Services (CMS) require all Medicare practitioners (as do most private payers) to use ICD-9-CM diagnosis codes with the highest specificity as requested by the Health Insurance Portability and Accountability Act (HIPAA). For example, clinicians using code 784.6 (symbolic dysfunction) to describe language/cognitive impairments of an organic nature may have this code rejected. Because this code category has 5th digit subclassifications, the most appropriate subclassifications should be selected. This might be 784.60 (symbolic dysfunction, unspecified), 784.61 (alexia and dyslexia) or 784.69 (other; acalculia, agnosia, agraphia, apraxia). Code 784.69 is intended to include multiple diagnoses, some of which may differ significantly, according to David Berglund, MD, MPH, at the National Center for Health Statistics/Centers for Disease Control, but it provides the highest level of specificity in that category and therefore should be used instead of 784.6. Keep in mind that 784.60, 784.61, and 784.69 are subclassifications of 784.6, so when you use those codes, you are not excluding 784.6.

Following the specificity rule, therefore, assign 3 digit codes when there are no 4 digit codes within the category. (So far, only one 3-digit code relevant for ASHA members has been found, 931—foreign body in ear.) Assign 4 digit codes if there is no 5th digit subclassification for that category. Assign the 5th digit subclassification code for those categories where it exists.

Providers should also be aware that codes marked NOS (not otherwise specified) or “unspecified” indicate that there is insufficient information in the medical record to assign a more specific code. NEC (not elsewhere classifiable) means that ICD-9-CM does not have a code that describes the condition.

Transitioning to ICD-10

Beginning **October 1, 2015**, health care providers will be required to use the new ICD-10 system, which will replace the current ICD-9-CM (International Classification of Diseases, 9th Revision, Clinical Modification) Volumes 1, 2, and 3 used to report health care diagnoses, disorders, and inpatient hospital procedures. The new ICD-10 will include the ICD-10-CM (clinical modification) for diagnosis codes and the ICD-10-PCS (procedure coding system) for inpatient hospital procedures.

For more information on the transition, please visit ASHA's Billing & Reimbursement Web site at www.asha.org/Practice/reimbursement/coding/ICD-10/.